



**STATE OF LOUISIANA
DEPARTMENT OF HEALTH
OFFICE OF PUBLIC HEALTH**

**Retail Food
Notice of Violations**

Routine/Renewal

Permit Number 09-0000841	Permit Name ROMA ITALIAN BISTRO	
Name of Establishment ROMA ITALIAN BISTRO	Owner Name KGAM,LLC	
Address 8905 MANSFIELD RD SHREVEPORT, LA 71118	Date 06/05/2026	Time 01:30 PM

LAC TITLE 51 PART XXIII

CRITICAL ITEMS: These items **MUST BE CORRECTED IMMEDIATELY** (see compliance schedule below). Repeat violations may lead to enforcement actions or permit suspensions.

Category	Code Reference	Description of Violations
FOOD - CONDITION, SOURCE, LABELING	1101	1 - 1101 - Damage or inferiority of food has been concealed.--Dented cans of green olives [Corrected]
FOOD - CONDITION, SOURCE, LABELING	1507	5 - 1507 - Ready to eat potentially hazardous food prepared on premises and held for more than 24 hours is not date marked.---Spaghetti noodles [Corrected]
CROSS CONTAMINATION	1705	25 - 1705 - Raw animal foods with different cooking temperature requirements are not separated to prevent cross contamination during storage preparation or display. [Corrected]

NON-CRITICAL ITEMS: These items should be corrected by the next regular inspection or according to the compliance schedule (see below) established by this office.

Category	Code Reference	Description of Violations
LABELING	1107	49 - 1107 - Bulk containers are not properly labeled. [Corrected]
FOOD PROTECTION	1315	53 - 1315 - Potentially hazardous foods are not properly thawed. [Corrected]
FOOD PROTECTION	1501	54 - 1501.3 - Food is stored where it is exposed to splash dust or other contamination---Uncovered food items in a prep cooler [Corrected]
UTENSILS/EQUIPMENT/SINGLE SERVICE	2101	67 - 2101.1 - Non-food contact equipment is not maintained in good repair.--Ice buildup on the pipes in the freezer
UTENSILS/EQUIPMENT/SINGLE SERVICE	2513	81 - 2513 - A sanitizer test kit is not provided to accurately measure the concentration in mg/L or parts per million of sanitizing solution provided.--Chlorine test strips expired 06/2023; discarded [Corrected]
TOILETS/HAND WASH FACILITIES	3109	94 - 3109.5 - Soap and/or paper towels are not provided for use at the hand wash lavatory. [Corrected]
GARBAGE/REFUSE DISPOSAL	3303	98 - 3303.3 - Outside waste receptacles were not kept closed. [Corrected]
GARBAGE/REFUSE DISPOSAL	3303	98 - 3303.2 - Outside receptacles for garbage etc. did not have tight fitting lids doors or covers.--Damaged lid on the dumpster
GARBAGE/REFUSE DISPOSAL	3307	100 - 3307.4 - Outdoor garbage storage area surface is not smooth durable and sloped to drain.--Standing rain water
STRUCTURAL/DESIGN/MAINTENANCE/PLUMBING	3701	105 - 3701.5 - Floors are not clean.--behind commercial cooking equipment

STRUCTURAL/DESIGN/MAINTENANCE/PLUMBING	3705	107 - 3705.1 - Lighting intensity in walk-in refrigerated units dry food storage area or other rooms during cleaning are not at least 10 foot candles.--No light in walk-in freezer; replaced light bulb during visit [Corrected]
--	------	--


Comments:

marevciablan@gmail.com

FSC#54978 Carl Dollar Exp:7-4-30

NOTICE RS 40:31.38 (ACT 66)

RS 40:31.38 (ACT 66) authorizes the Louisiana Department of Health to charge a fee of \$150 to any permitted facility that fails to correct the necessary sanitary code violations to be in compliance at the time of its follow up inspection (1st re-inspection). Re-inspections are required when there are five or more uncorrected non-critical violations and/or one or more uncorrected critical violations remaining at the conclusion of an inspection. The fee is only charged if the necessary violations are not corrected before the 2nd re-inspection and other subsequent re-inspections. Facilities can avoid this fee if the violations noted on the routine inspection report are corrected by, or during, the follow up inspection. If a fee is assessed, the \$150 fee is payable within 30 days' notice, and failure to pay shall result in revocation of the permit.

Sanitarian Name/Print	Phone #	Sanitarian Signature	R.S. #
Emily Thomas	318-676-5265		T1413

The above mentioned violations were called to my attention and were explained to me in detail. I hereby agree to
Correct Critical Violations by
Correct Non-Critical Violations by

Name/Title	Signature of Recipient
Lim Mareci /Server	